


Cornices

EDON's ability to reproduce simple to complex configurations allows the architect the freedom to recreate historical shapes and finishes without sacrificing authenticity. **EDON's** lightweight fiberglass reduces the load on the building structure.

Regent Terrace, Philadelphia, PA



Our cornices are molded with Class A fire-rated unfilled resin & UV inhibitor marine grade gel coat in the color of your choice.



EDON requires the following to submit cornice quotations.

PLANS: Provide plan view/sections and elevation drawings. Inside/outside corners, "Z" corners & end caps.

COLOR TEXTURE: Submit color sample, finish and texture you require.

INSTALL DETAILS: Send us the architectural drawings and **EDON** will recommend internal blocking required for installation. CAD drawings are supplied prior to manufacturing.

SHIPPING: **EDON** requires location of job site in order to determine method of shipping, shipping carrier and shipping dates.



Rittenhouse Parking Garage, Philadelphia, PA

Cornices




















U.S. National Bank, Galveston, TX



Red Cross Office Building, New Brunswick, NJ

EDON has over 500 stock profiles available to architects, builders and developers. Since separate units can be combined or modified to suit the needs of the architect, design possibilities are limitless.

 CR-101 H- 2'-10 9/16" D- 1'-4 1/2" L- 9'-7 1/2"	 CR-102 H- 1'-6 1/8" D- 1'-3 3/4" L- 8'-0"	 CR-103 Optional Lionshead Applique H- 1'-11 3/4" D- 2'-4 7/8" L- 9'-4 1/2"	 CR-104 H- 3'-4" D- 1'-11 1/4" L- 7'-2"
 CR-105 H- 2'-3 3/8" D- 1'-5" L- 7'-6"	 CR-106 H- 3'-4" D- 1'-4 1/2" L- 7'-2"	 CR-107 H- 2'-2 1/4" D- 11 1/4" L- 8'-0"	 CR-108 Optional BR-109 Brackets H- 1'-9" D- 1'-1 7/8" L- 8'-0"
 CR-109 H- 1'-4" D- 1'-0" L- 8'-0"	 CR-110 H- 1'-4" D- 4 3/4" L- 8'-0"	 CR-111 H- 1'-6" D- 1'-6" L- 7'-0"	 CR-112 H- 2'-3 1/2" D- 2'-6" L- 8'-8 1/2"
 CR-113 H- 3'-10 1/8" D- 3'-4 3/8" L- 9'-6"	 CR-114 H- 10 1/2" D- 6 1/2" L- 8'-3"	 CR-115 H- 1'-4 5/8" D- 11" L- 8'-0"	 CR-115a H- 1'-6 5/8" D- 1'-3" L- 8'-0"
 CR-116 H- 3'-10 3/4" D- 1'-8 1/4" L- 8'-0"	 CR-117 H- 1'-9 1/2" D- 1'-8 1/16" L- 8'-0"	 CR-118 H- 1'-9" D- 11" L- 8'-0"	 CR-119 H- 6'-7/8" D- 5'-7/8" L- 5'-7 7/8"

H- HEIGHT D- DEPTH L- LENGTH




















Cornices

EDON Fiberglass Cornices have become a standard in the architectural industry. FRP Cornices can replicate most finishes of standard building products with an almost unlimited array of integral color options.
















Corporate Office Building, Coudersport, PA

 CR-120 H- 1'-11" D- 2'-3" L- 8'-0"	 CR-121 H- 2'-2 7/16" D- 10 1/2" L- 8'-0"	 CR-122 H- 1'-0 7/8" D- 11 3/8" L- 8'-0"	 CR-123 H- 11 1/8" D- 4 11/16" L- 8'-0"
 CR-124 H- 4" D- 2 1/4" L- 6'-0"	 CR-125 H- 1'-1 1/2" D- 2 1/8" L- 8'-0"	 CR-126 H- 5 7/8" D- 4 15/16" L- 8'-0"	 CR-127 H- 7 1/2" D- 3" L- 6'-6"
 CR-128 H- 1'-11" D- 5 1/4" L- 8'-0"	 CR-129 H- 1'-8 1/16" D- 1'-7 9/16" L- 8'-0"	 CR-130 H- 7 11/16" D- 5 1/2" L- 8'-0"	 CR-131 H- 4 1/2" D- 4 1/4" L- 8'-0"
 CR-132 H- 9 5/8" D- 4" L- 8'-0"	 CR-133 H- 10 3/8" D- 10" L- 8'-0"	 CR-134 H- 9 1/2" D- 4" L- 8'-2 1/2"	 CR-135 H- 10 1/2" D- 2 3/4" L- 8'-0"
 CR-136 H- 1'-2 3/4" D- 8 1/8" L- 8'-0"	 CR-137 H- 1'-1" D- 10" L- 8'-0"	 CR-138 H- 1'-2" D- 1'-10" L- 6'-0"	 CR-139 H- 1'-3" D- 7 9/16" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

Cornices

Lewis County
Justice Center, KY

 CR-140 H- 1'-9 1/2" D- 1'-7" L- 7'-0"	 CR-141 H- 1'-0 1/8" D- 5 3/4" L- 8'-0"	 CR-142 H- 1'-1 7/8" D- 1'-10" L- 8'-0"	 CR-143 H- 1'-2 3/4" D- 1'-10" L- 8'-0"
 CR-144 H- 1'-4" D- 6 1/4" L- 8'-0"	 CR-145 H- 1'-11" D- 2'-2" L- 8'-0"	 CR-146 H- 2'-9 1/2" D- 1'-4" L- 8'-2"	 CR-146a H- 2'-9 1/2" D- 1'-2" L- 8'-2"
 CR-147 H- 1'-7" D- 1'-8 1/2" L- 8'-0"	 CR-148 H- 2'-5" D- 1'-6" L- 10'-0"	 CR-149 H- 2'-6" D- 3'-6" L- 8'-3 1/4"	 CR-150 H- 3'-6" D- 1'-10 1/2" L- 9'-2"
 CR-151 H- 4'-2" D- 2'-6" L- 8'-0"	 CR-152 H- 2'-8 3/4" D- 1'-7 1/2" L- 8'-0"	 CR-153 H- 3'-3" D- 1'-7 11/16" L- 8'-0"	 CR-153a H- 3'-9 1/2" D- 1'-10" L- 6'-0"
 CR-154 H- 1'-0" D- 10 1/2" L- 8'-0"	 CR-155 H- 1'-6 7/8" D- 1'-11" L- 8'-0"	 CR-156 H- 1'-5 1/2" D- 11" L- 8'-0"	 CR-157 H- 1'-6" D- 1'-0" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH



Cornices



EDON Fiberglass Cornices are virtually maintenance free and

CR-158 H- 1'-8 1/8" D- 1'-6 1/2" L- 8'-0"	CR-159 H- 3'-8 1/2" D- 1'-9" max. L- 8'-0"	CR-160 H- 1'-4 3/4" D- 1'-5 3/4" L- 8'-0"	CR-161 H- 1'-8 13/16" D- 7 1/2" L- 8'-0"
CR-162 H- 6 7/8" D- 7" L- 8'-0"	CR-163 CR-163 H- 1'-8" D- 1'-7 1/8" L- 8'-0" CR-163A H- 1'-0 13/16" D- 11 1/2" L- 8'-0" CR-163B H- 9 3/16" D- 7 5/8" L- 8'-0"	CR-164 H- 1'-10 5/8" D- 8 3/8" L- 9'-6"	CR-165 H- 7 3/4" D- 3 1/2" L- 8'-0"
CR-166 H- 10 3/4" D- 5 1/4" L- 8'-0"	CR-167 H- 2'-5" D- 9 1/2" L- 9'-0"	CR-168 H- 1'-5" D- 1'-9 13/16" L- 11'-0"	CR-169 H- 1'-10" D- 2'-1" L- 8'-0"
CR-170 H- 1'-4 1/4" D- 1'-3 7/8" L- 8'-0"	CR-171 H- 3'-0" D- 1'-10" L- 8'-0"	CR-172 H- 4'-1" D- 2'-5 1/2" L- 8'-0"	CR-173 H- 3'-2" D- 2'-5 1/2" L- 8'-0"
CR-174 H- 2'-11 3/8" D- 1'-5 1/2" L- 8'-0"	CR-175 H- 3'-0" D- 1'-1 1/2" L- 8'-0"	CR-176 H- 2'-10 3/4" D- 1'-3 1/2" L- 8'-0"	CR-177 H- 2'-4 1/4" D- 1'-7" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

EDON All cornice corners are molded or prefabricated to ensure proper installation





















Cornices

Sibley Memorial
Hospital, Wash., DC



EDON Fiberglass Cornices are an economical and practical application in the building industry. FRP Cornices are lightweight, easy to install and have a life span equal or surpassing the material they are replacing. **EDON** architectural products have been on buildings for over 50 years.

molded in the size, shape, configuration and color of your choice.

 CR-178 H- 4 9/16" D- 2 3/8" L- 8'-0"	 CR-179 H- 1'-10 1/16" D- 11 13/16" L- 8'-0"	 CR-180 H- 1'-9 1/2" D- 1'-7 7/8" L- 8'-0"	 CR-181 H- 1'-9 15/16" D- 10 1/2" L- 8'-0"
 CR-182 H- 1'-2 1/4" D- 1'-8 1/4" L- 8'-0"	 CR-183 H- 1'-4" D- 5 1/4" L- 8'-0"	 CR-184 H- 2'-0 5/8" D- 1'-4 3/4" L- 8'-0"	 CR-185 H- 2'-2" D- 1'-4" L- 8'-0"
 CR-186 H- 10 1/2" D- 3 1/2" L- 8'-0"	 CR-187 H- 4 1/4" D- 3 1/2" L- 8'-0"	 CR-188 H- 1'-6 7/8" D- 1 9/16" L- 8'-0"	 CR-189 H- 1'-0" D- 6 3/4" L- 8'-0"
 CR-190 H- 6" D- 6 3/4" L- 8'-0"	 CR-191 H- 2'-0 1/2" D- 5 1/8" L- 8'-0"	 CR-192 H- 8 9/16" D- 11" L- 8'-0"	 CR-193 H- 1'-0 1/2" D- 9" L- 8'-0"
 CR-194 H- 10 1/2" D- 1'-0" L- 8'-0"	 CR-195 H- 1'-11 3/4" D- 1'-6 1/8" L- 8'-0"	 CR-196 H- 2'-8 3/4" D- 4 7/8" L- 8'-0"	 CR-197 H- 3'-0 5/16" D- 5" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH










Cornices

EDON Cornices are molded with Class A fire-rated unfilled resin and UV inhibitor gel coat in the color of your choice.



The Gallery Place, Washington DC

 CR-198 H- 2'-0" D- 1'-0" L- 6'-8 1/2"	 CR-199 H- 1'-7 3/8" D- 3'-1 1/8" L- 8'-5 1/2"	 CR-200 H- 6 1/2" D- 2 13/16" L- 5'-9"	 CR-201 H- 1'-3 3/4" D- 2 5/8" L- 8'-0"
 CR-201a H- 1'-10 3/4" D- 2 5/8" L- 8'-0"	 CR-202 H- 1'-9" D- 1 11/16" L- 8'-0"	 CR-203 H- 1'-11 1/2" D- 4 7/8" L- 9'-8 7/8"	 CR-204 H- 2'-1 1/2" D- 4 7/8" L- 10'-0"
 CR-205 H- 2'-1 1/2" D- 3 1/2" L- 7'-6"	 CR-206 H- 2'-6 1/4" D- 3 1/4" L- 7'-1"	 CR-207 H- 2'-7" D- 1'-2 3/4" L- 7'-0"	 CR-208 H- 4" D- 2 1/2" L- 8'-0"
 CR-209 H- 1'-0 5/8" D- 1'-10 3/4" L- 8'-0"	 CR-210 H- 1'-5" D- 1'-5 5/8" L- 8'-0"	 CR-211 H- 1'-9" D- 4" L- 8'-0"	 CR-212 H- 2'-11 7/16" D- 1'-5 11/16" L- 9'-4 3/4"
 CR-213 H- 1'-10 5/8" D- 12" max L- 8'-0"	 CR-214 H- 1'-10 1/2" D- 5 3/4" L- 8'-0"	 CR-215 H- 1'-11 3/16" D- 6 1/2" max L- 8'-0"	 CR-216 H- 2'-0" D- 2'-6" L- 8'-0"











H- HEIGHT D- DEPTH L- LENGTH

Cornices



Bank of America, Wilmington, DE

Compared to other traditional materials, the total life-cycle assessment of fiberglass contributes to its viability as a green building product. When consideration is taken for the energy consumed in production, installation and environmentally sustainability, fiberglass products generate a much smaller impact than other traditional materials and can be used in ways that are less energy or carbon intensive.

 CR-217 H- 4'-10 5/8" D- 3'-0 1/2" L- 8'-4"	 CR-218 H- 6" D- 3 1/2" L- 8'-0"	 CR-219 H- 6" D- 3 5/16" L- 8'-0"	 CR-220 H- 1'-9 1/2" D- 5" L- 8'-0"
 CR-221 H- 2'-9" D- 2'-7" L- 9'-0"	 CR-222 H- 9 1/2" D- 6 1/4" L- 6'-0"	 CR-223 H- 1'-9 3/8" D- 5 1/2" L- 11'-0"	BRACKET IS OPTIONAL  CR-224 H- 1'-11 1/4" D- 1'-11 1/8" L- 8'-0"
BRACKET IS OPTIONAL  CR-225 H- 3'-4 7/8" D- 1'-9 5/16" L- 8'-0"	 CR-226 H- 1'-5 13/16" D- 1'-0 1/2" L- 8'-0"	 CR-227 H- 1'-8 15/16" D- 1'-10" L- 8'-0"	 CR-228 H- 2'-9" D- 1'-0" L- 8'-0"
 CR-229 H- 11 3/8" D- 2'-10 1/2" L- 10'-6"	 CR-230 H- 11" D- 1'-0" L- 8'-0"	 CR-231 H- 1'-0" D- 4 1/4" L- 8'-0"	 CR-232 H- 1'-0" D- 6 1/2" L- 11'-0"
 CR-233 H- 1'-4" D- 2 1/2" L- 17'-0 9/16"	 CR-234 H- 1 1/2" D- 2 1/2" L- 6'-0"	 CR-235 H- 9 5/16" D- 2 5/8" L- 8'-0"	 CR-236 H- 1'-6" D- 1'-6" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH



Cornices

EDON Fiberglass
Cornices last longer and
require less maintenance
than other materials.



Boyce Building, Chicago, IL

CR-237 H- 7" D- 6" L- 8'-0"	CR-238 H- 3" D- 3" L- 5'-0"	CR-239 H- 1'-3" D- 1'-7 1/2" L- 10'-8"	CR-240 H- 2'-6 3/8" D- 2'-5 1/8" L- 8'-4 5/8"
CR-241 H- 1'-0" D- 10 1/4" L- 8'-0"	CR-242 H- 2'-1 11/16" D- 3 1/2" L- 6'-0 1/2"	CR-243 H- 3'-7" D- 1'-1 5/16" L- 6'-0"	CR-244 H- 5'-0 5/8" D- 1'-9" L- 7'-7 1/4"
CR-245 H- 1'-11 7/8" D- 2'-5 5/8" L- 10'-0"	CR-246 H- 1'-1 7/8" D- 3 1/4" L- 8'-0"	CR-247 H- 1'-10" D- 3 3/8" L- 10'-6"	CR-248 H- 1'-6" D- 8" L- 8'-0"
CR-249 H- 1'-6" D- 1'-1" L- 8'-0"	CR-250 H- 8" D- 6 3/4" L- 8'-0"	CR-251 H- 1'-3" D- 10 1/2" L- 8'-0"	CR-252 H- 1'-6 1/16" D- 6 3/4" L- 10'-0"
CR-253 H- 1'-11 7/8" D- 2'-5 5/8" L- 10'-0"	CR-254 H- 9 1/8" D- 5" L- 11'-2"	CR-255 H- 1'-2" D- 1'-1" L- 8'-0"	CR-256 H- 1'-0 3/4" D- 9 1/4" L- 8'-0"















H- HEIGHT D- DEPTH L- LENGTH

Cornices



Sullivan County Court House, Blountville, TN

EDON Fiberglass Cornices are designed for ease in installation and each project includes detailed shop drawings that illustrate suggested framing and hardware required. P.E. services are available upon request.

 CR-257 H- 1'-9 15/16" D- 1'-1 1/2" L- 8'-0"	 CR-258 H- 10 13/16" D- 8 1/16" L- 8'-0"	 CR-259 H- 2'-7 1/2" D- 1'-6" L- 9'-0"	 CR-260 H- 3'-0 3/16" D- 2'-3" L- 8'-0"
 CR-261 H- 2'-1 1/2" D- 2 5/8" L- 8'-0"	 CR-262 H- 2'-6 1/2" D- 3 3/4" L- 6'-2 3/4"	 CR-263 H- 2'-2 7/8" D- 5 3/8" L- 8'-0"	 CR-264 H- 1'-6" D- 4" L- 7'-0 3/4"
 CR-265 H- 1'-8" D- 1'-5 1/2" L- 8'-0"	 CR-266 H- 9 1/16" D- 7 3/4" L- 8'-0"	 CR-267 H- 2'-5 5/8" D- 2'-2" L- 8'-0"	 CR-268 H- 11 3/4" D- 8 5/16" L- 8'-0"
 CR-269 H- 2'-7" D- 2'-6 3/4" L- 8'-0"	 CR-270 H- 3'-0 1/8" D- 2" L- 8'-0"	 CR-271 H- 2'-5" D- 1'-4 1/2" L- 8'-0"	 CR-272 H- 3'-11 3/4" D- 2'-7 5/16" L- 8'-0"
 CR-273 H- 1'-11 1/4" D- 8 1/16" L- 8'-0"	 CR-274 H- 3'-11 3/4" D- 2'-7 5/16" L- 8'-0"	 CR-275 H- 2'-0 3/8" D- 9 3/4" L- 8'-0"	 CR-276 H- 1'-4" D- 4 3/16" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH













Cornices

EDON's designers and engineers are available for consultation on project requirements whether historical, traditional or contemporary.



Bristol Library, Bristol, CT

 CR-277 H- 9 5/16" D- 10 9/16" L- 8'-0"	 CR-278 H- 8 5/8" D- 9 3/8" L- 8'-0"	 CR-279 H- 9 5/8" D- 1'-0 3/4" L- 8'-0"	 CR-280 H- 1'-3 1/8" D- 1'-2 3/4" L- 8'-0"
 CR-281 H- 2'-2" D- 10 3/8" L- 8'-0"	 CR-282 H- 2'-5 1/8" D- 1'-2 7/8" L- 8'-0"	 CR-283 H- 1'-6 3/4" D- 1'-2 7/8" L- 8'-0"	 CR-284 H- 1'-7 7/8" D- 4 1/4" L- 8'-0"
 CR-285 H- 3'-4 1/2" D- 1'-11 1/8" L- 8'-0"	 CR-286 H- 2'-0 5/16" D- 1'-9 3/8" L- 6'-5"	 CR-287 H- 1'-7 9/16" D- 1'-9 3/8" L- 6'-6"	 CR-288 H- 2'-3" D- 10 1/8" L- 8'-0"
 CR-289 H- 2'-3 3/4" D- 1'-11 1/8" L- 9'-4 1/2"	 CR-290 H- 5'-11" D- 2'-7" L- 9'-0"	 CR-291 H- 1'-6 9/16" D- 4'-0 3/16" L- 8'-0"	 CR-292 H- 1'-4 7/16" D- 2'-0 1/4" L- 8'-0"
 CR-293 H- 11" D- 2'-0" L- 8'-0"	 CR-294 H- 11" D- 3'-0" L- 8'-0"	 CR-295 H- 1'-0 1/4" D- 2 3/4" L- 5'-7 1/2"	 CR-296 H- 3 1/2" D- 1 3/4" L- 6'-0"


















H- HEIGHT D- DEPTH L- LENGTH

Cornices



Strathmore Park Condo's, Rockville, MD

EDON cornice corners are either molded or prefabricated at our factory to ensure proper installation. **EDON** eliminates the need for the contractor to field miter. Cornices are delivered either in crates or dedicated padded vans.

 CR-297 H- 1'-6 1/2" D- 1'-6 1/2" L- 8'-0"	 CR-298 H- 1'-4" D- 4" L- 8'-0"	 CR-299 H- 1'-7 3/16" D- 10 5/16" L- 8'-0"	 CR-300 H- 3'-2 7/8" D- 3'-9 13/16" L- 8'-0"
 CR-301 H- 2'-7 7/8" D- 8" L- 8'-0"	 CR-302 H- 7 3/4" D- 5" L- 10'-0"	 CR-303 H- 1'-10" D- 1'-10" L- 8'-0"	 CR-304 H- 1'-7 1/2" D- 1'-7 3/4" L- 8'-0"
 CR-305 H- 2'-5 5/8" D- 10" L- 8'-0"	 CR-306 H- 1'-7 1/4" D- 1'-2 3/8" L- 8'-0"	 CR-307 H- 2'-2 1/4" D- 1'-4 5/8" L- 8'-0"	 CR-308 H- 1'-2 3/8" D- 1'-7 3/4" L- 8'-1 1/2"
 CR-309 H- 1'-8 1/4" D- 1'-10 3/8" L- 8'-1 1/2"	 CR-310 H- 2'-3 3/4" D- 2'-0 1/4" L- 7'-5"	 CR-311 H- 7'-9 3/8" D- 4'-5 5/8" L- 8'-0"	 CR-312 H- 2'-4 1/8" D- 3'-3 11/16" L- 8'-0"
 CR-313 H- 3'-4 1/16" D- 8 1/4" L- 8'-0"	 CR-314 H- 2'-5 3/4" D- 1'-1 3/8" L- 8'-0"	 CR-315 H- 2'-4 1/2" D- 2'-10 1/4" L- 8'-0"	 CR-316 H- 2'-2 3/8" D- 1'-8" L- 7'-9"


H- HEIGHT D- DEPTH L- LENGTH
















Cornices



W. 119th Street, NY



East Erie Street, Chicago, IL

 CR-317 H- 1'-5 3/8" D- 1'-8" L- 7'-9"	 CR-318 H- 10 5/8" D- 5 7/8" L- 7'-9"	 CR-319 H- 4'-6 1/2" D- 2'-8 1/8" L- 9'-0"	 CR-320 H- 3'-3" D- 9" L- 9'-0"
 CR-321 H- 1'-11 1/4" D- 1'-4 1/8" L- 8'-0"	 CR-322 H- 2'-10" D- 1'-11 1/8" L- 8'-0"	 CR-323 H- 1'-6" D- 1'-2 1/16" L- 8'-0"	 CR-324 H- 10" D- 1'-10 1/16" L- 8'-0"
 CR-325 H- 3'-9 1/8" D- 5 1/8" L- 8'-0"	 CR-326 H- 1'-6" D- 5 1/8" L- 8'-0"	 CR-327 H- 2'-7 3/8" D- 4 7/8" L- 8'-0"	 CR-328 H- 2'-2 7/8" D- 5 7/8" L- 8'-0"
 CR-329 H- 2'-1 1/2" D- 1'-6" L- 8'-0"	 CR-330 H- 1'-8 3/4" D- 1'-5 1/2" L- 8'-0"	 CR-331 H- 3'-4" D- 3 5/8" L- 8'-0"	 CR-332 H- 3'-0 1/4" D- 9" L- 8'-0"
 CR-333 H- 2'-2" D- 5 7/8" L- 8'-0"	 CR-334 H- 2'-0" D- 8 11/16" L- 8'-0"	 CR-335 H- 1'-1" D- 6" L- 8'-0"	 CR-336 H- 1'-11 11/16" D- 1'-8 3/4" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH















Cornices



Essex Condominiums, Philadelphia, PA



Johns Hopkins University, MD

 CR-337 H- 1'-7 9/16" D- 1'-4" L- 8'-0"	 CR-338 H- 1'-5 1/8" D- 8 1/8" L- 8'-0"	 CR-339 H- 8 1/2" D- 6" L- 8'-0"	 CR-340 H- 1'-2" D- 1'-6" L- 8'-0"
 CR-341 H- 2'-2 3/8" D- 1'-8 3/4" L- 8'-0"	 CR-342 H- 2'-2 3/8" D- 1'-8 3/4" L- 8'-0"	 CR-343 H- 1'-7 1/8" D- 8" L- 8'-0"	 CR-344 H- 3'-9" D- 1'-10 1/2" L- 8'-0"
 CR-345 H- 3'-10" D- 1'-7" L- 8'-0"	 CR-346 H- 1'-8" D- 2'-3" L- 8'-0"	 CR-347 H- 1'-5 7/16" D- 3 3/4" L- 10'-0"	 CR-348 H- 1'-4 1/4" D- 4 5/8" L- 8'-0"
 CR-349 H- 3'-2 1/2" D- 1'-4" L- 8'-0"	 CR-350 H- 11 1/8" D- 9 5/8" L- 11'-0"	 CR-351 H- 4'-5 1/2" D- 2'-7 1/4" L- 8'-0"	 CR-352 H- 1'-4 3/4" D- 1 15/16" L- 8'-0"
 CR-353 H- 1'-2 3/8" D- 9 7/8" L- 8'-0"	 CR-354 H- 2'-0" D- 1'-3 3/4" L- 8'-0"	 CR-355 H- 3'-3 1/2" D- 2'-8" L- 10'-8"	 CR-356 H- 1'-3 1/4" D- 2'-0 5/16" L- 10'-8"

H- HEIGHT D- DEPTH L- LENGTH













Cornices

EDON has the largest selection of fiberglass cornices in America



River City Bank, Louisville, KY





 CR-357 H- 3'-2 1/2" D- 1'-0" L- 8'-0"	 CR-358 H- 1'-7" D- 2'-10" L- 8'-0"	 CR-359 H- 2'-10" D- 2'-2" L- 8'-0"	 CR-360 H- 1'-4" D- 10" L- 8'-0"
 CR-361 H- 2'-4" D- 1'-7" L- 8'-0"	 CR-362 H- 1'-2 3/8" D- 10 3/8" L- 8'-0"	 CR-363 H- 9 5/8" D- 9 11/16" L- 8'-6"	 CR-364 H- 4'-11" D- 4'-11 3/4" L- 6'-8"
 CR-365 H- 2'-6 1/4" D- 10" L- 6'-8"	 CR-366 H- 2'-0 15/16" D- 1'-3 3/8" L- 8'-0"	 CR-367 H- 1'-7 13/16" D- 4" L- 8'-0"	 CR-368 H- 5'-7 1/2" D- 3" L- 5'-7"
 CR-369 H- 1'-5 1/2" D- 1'-0" L- 10'-0"	 CR-370 H- 9" D- 4" L- 8'-0"	 CR-371 H- 1'-5 1/2" D- 1'-2 1/16" L- 8'-0"	 CR-372 H- 2'-1 5/8" D- 4 3/8" L- 12'-1 1/2"
 CR-373 H- 1'-8 7/8" D- 4 3/8" L- 12'-1 1/2"	 CR-374 H- 2'-6 1/4" D- 4 3/8" L- 12'-1 1/2"	 CR-375 H- 1'-0 5/8" D- 6 1/2" L- 5'-4"	 CR-376 H- 12 9/16" D- 1'-0 1/8" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

Cornices



Carnegie Library, Delaware, OH

 CR-377 H- 1'-7" D- 1 5/16" L- 7'-6"	 CR-378 H- 1'-7 9/16" D- 5 3/8" L- 8'-0"	 CR-379 H- 7 1/8" D- 10 11/16" L- 8'-0"	 CR-380 H- 8 1/8" D- 5 1/2" L- 5'-4"
 CR-381 H- 2'-3 1/2" D- 1'-0 1/4" L- 8'-9 3/8"	 CR-382 H- 2'-1 1/4" D- 1'-0 3/8" L- 8'-0"	 CR-383 H- 4" D- 1 1/8" L- 8'-0"	 CR-384 H- 9 3/16" D- 4 13/16" L- 6'-8"
 CR-385 H- 4 1/16" D- 2 3/16" L- 8'-0"	 CR-386 H- 1'-0" D- 4 11/16" L- 8'-0"	 CR-387 H- 1'-0" D- 9 1/8" L- 8'-0"	 CR-388 H- 11 3/16" D- 8 7/16" L- 8'-0"
 CR-389 H- 8 1/8" D- 7 9/16" L- 8'-0"	 CR-390 H- 3'-1 1/8" D- 2'-7 1/8" L- 8'-5 1/2"	 CR-391 H- 2'-7 1/2" D- 1'-3 1/4" L- 10'-0"	 CR-392 H- 2'-6 1/4" D- 1'-2 1/2" L- 10'-8"
 CR-393 H- 1'-4 1/2" D- 1'-4 5/16" L- 10'-0"	 CR-394 H- 1'-8 1/16" D- 1'-0" L- 7'-6"	 CR-395 H- 1'-8 1/16" D- 1'-7" L- 7'-6"	 CR-396 H- 7" D- 5 1/8" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH














Cornices



Washington Golf and Country Club, Washington, DC



First Bank, Philadelphia, PA

CR-397  H- 6" D- 3 11/16" L- 8'-0"	CR-398  H- 2'-8 1/8" D- 1'-8" L- 8'-0"	CR-399  H- 1'-4" D- 9 5/8" L- 8'-0"	CR-400  H- 7 15/16" D- 4 1/2" L- 6'-9"
CR-401  H- 3'-2 7/16" D- 1'-2 11/16" L- 7'-6"	CR-402  H- 3'-8 1/2" D- 11 3/4" L- 8'-0"	CR-403  H- 1'-10 1/8" D- 1'-4 1/8" L- 8'-0"	CR-404  H- 1'-7 13/16" D- 1'-2 11/16" L- 8'-0"
CR-405  H- 1'-7" D- 1'-3 15/16" L- 8'-0"	CR-406  H- 2'-1 1/4" D- 1'-2 5/8" L- 8'-0"	CR-407  H- 1'-1 7/8" D- 1'-9 1/4" L- 8'-0"	CR-408  H- 2'-7" D- 1 1/2" L- 9'-6"
CR-409  H- 2'-5 1/2" D- 1'-4" L- 8'-0"	CR-410  H- 9 3/4" D- 3 1/4" L- 8'-0"	CR-411  H- 1'-7 3/4" D- 1'-3" L- 8'-0"	CR-412  H- 1'-5" D- 1'-1" L- 8'-0"
CR-413  H- 2'-10" D- 1'-7 3/4" L- 8'-0"	CR-414  H- 1'-10 3/8" D- 1'-0" L- 8'-0"	CR-415  H- 2'-7" D- 2 7/8" L- 8'-0"	CR-416  H- 1'-6 7/16" D- 1'-5 5/16" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH


Cornices



Town Center Square, West Chester, OH



Monroe Hall, University of Mary Washington, Fredericksburg, VA

 CR-417 H- 3'-10 5/8" D- 1'-5 5/16" L- 8'-0"	 CR-418 H- 1'-2 1/16" D- 1'-0 1/8" L- 8'-0"	 CR-419 H- 2'-10" D- 1'-3 3/4" L- 8'-0"	 CR-420 H- 1'-7 1/2" D- 7 3/4" L- 8'-0"
 CR-421 H- 1'-0 3/4" D- 4 7/8" L- 8'-0"	 CR-422 H- 6 7/8" D- 6" L- 8'-0"	 CR-423 H- 5 1/2" D- 4" L- 8'-0"	 CR-424 H- 2'-4" D- 1'-4" L- 8'-0"
 CR-425 H- 2'-11" D- 1'-0 7/8" L- 8'-0"	 CR-426 H- 1'-4" D- 7 3/8" L- 8'-0"	 CR-427 H- 1'-0 1/2" D- 1'-1 1/4" L- 8'-0"	 CR-428 H- 2'-9 5/8" D- 1'-3 1/4" L- 8'-0"
 CR-429 H- 2'-5 15/16" D- 9 9/16" L- 8'-0"	 CR-430 H- 4 1/16" D- 2 3/16" L- 8'-0"	 CR-431 H- 1'-0" D- 7 1/2" L- 8'-0"	 CR-432 H- 4" D- 4" L- 8'-0"
 CR-433 H- 4'-0 3/8" D- 1'-3 7/8" L- 8'-0"	 CR-434 H- 1'-6 11/16" D- 1'-3" L- 8'-0"	 CR-435 H- 3'-0 11/16" D- 1'-6 5/8" L- 8'-0"	 CR-436 H- 1'-7" D- 9" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH



Cornices



Logan County Courthouse, Kentucky



Office Building, Coudersport, PA

CR-437 H- 6 15/16" D- 4 1/2" L- 8'-0"	CR-438 H- 1'-0" D- 6" L- 8'-0"	CR-439 H- 2'-7 1/8" D- 7 1/2" L- 8'-0"	CR-440 H- 2'-3 3/4" D- 1'-5 3/4" L- 8'-0"
CR-441 H- 1'-6 5/16" D- 2 1/2" L- 8'-0"	CR-442 H- 2'-7 5/8" D- 2 1/2" L- 8'-0"	CR-443 H- 1'-1 5/16" D- 5 7/16" L- 8'-0"	CR-444 H- 1'-5 7/8" D- 2'-1 3/8" L- 8'-0"
CR-445 H- 5 3/4" D- 4" L- 8'-0"	CR-446 H- 1'-10 1/4" D- 1'-7 3/4" L- 8'-0"	CR-447 H- 2'-8 1/8" D- 1'-10" L- 8'-4 3/4"	CR-448 H- 1'-4" D- 2 1/2" L- 8'-0"
CR-449 H- 2'-9" D- 1'-2 15/16" L- 8'-0"	CR-450 H- 1'-5 7/8" D- 1'-3 1/4" L- 7'-6"	CR-451 H- 9" D- 7 1/2" L- 8'-0"	CR-452 H- 2'-4 7/16" D- 4 3/4" L- 9'-8 7/8"
CR-453 H- 2'-3 1/4" D- 3" L- 8'-0"	CR-454 H- 5 3/4" D- 3 1/4" L- 8'-0"	CR-455 H- 3'-4" D- 1'-11 1/4" L- 8'-0"	CR-456 H- 1'-7" D- 10" L- 8'-0"


















H- HEIGHT D- DEPTH L- LENGTH

Cornices



Cornerstone Bank, VA

Green building has become an increasingly important focus for new construction. The LEED Program (Leadership in Energy and Environmental Design) was developed by the U.S. Green Building Council to provide a framework for implementing practical and measurable green building solutions. Voluntary participation in the program demonstrates initiative to develop **high performance sustainable buildings** with energy savings, lower carbon footprints, and environmental responsibility.

 CR-457 H- 1'-6 3/8" D- 11 1/2" L- 8'-0"	 CR-458 H- 3'-8 1/2" D- 1'-2" L- 8'-0"	 CR-459 H- 9 1/2" D- 3" L- 8'-0"	 CR-460 H- 1'-5" D- 10" L- 8'-0"
 CR-461 H- 2'-2 1/8" D- 2'-5 1/8" L- 8'-0"	 CR-462 H- 2'-2 13/16" D- 1'-3 1/2" L- 8'-0"	 CR-463 H- 1'-6 7/16" D- 1'-4 3/16" L- 8'-0"	 CR-464 H- 2'-1" D- 1'-8 3/4" L- 8'-0"
 CR-465 H- 3'-5" D- 1'-9 3/4" L- 8'-0"	 CR-466 H- 1'-6 1/4" D- 1'-4 3/4" L- 8'-0"	 CR-467 H- 1'-11 5/8" D- 1'-4" L- 8'-0"	 CR-468 H- 2'-0" D- 1'-8" L- 8'-0"
 CR-469 H- 1'-9 1/2" D- 1'-9 1/4" L- 11'-0"	 CR-470 H- 2' 0" D- 1' 9 1/4" L- 8' 0"	 CR-471 H- 7" D- 4" L- 8'-0"	 CR-472 H- 3'-0" D- 1'-11 3/8" L- 8'-0"
 CR-473 H- 1'-9 3/8" D- 2'-5 3/4" L- 8'-0"	 CR-474 H- 3'-8 11/16" D- 2'-3 15/16" L- 8'-0"	 CR-475 H- 1'-10 3/4" D- 1'-5 5/16" L- 8'-0"	 CR-476 H- 2'-4" D- 1'-11 3/4" L- 10'-0"

H- HEIGHT D- DEPTH L- LENGTH



Cornices















Sisters of Charity, NJ



Carnegie Mellon, Pittsburgh, PA



Town Center Square, West Chester, OH

 CR-477 H- 2'-0" D- 1'-2" L- 8'-0"	 CR-478 H- 4'-7" D- 1'-6" L- 8'-0"	 CR-479 H- 11 1/2" D- 6 3/8" L- 8'-0"	 CR-480 H- 1'-2" D- 8 1/2" L- 8'-0"
 CR-481 H- 3'-5" D- 2'-0" L- 4'-6"	 CR-482 H- 2'-6" D- 1'-2" L- 4'-6"	 CR-483 H- 1'-3 1/2" D- 8" L- 8'-0"	 CR-484 H- 10" D- 5 7/8" L- 8'-0"
 CR-485 H- 3'-0" D- 9 7/16" L- 8'-0"	 CR-486 H- 2'-3 5/8" D- 1'-6" L- 8'-0"	 CR-487 H- 3'-4 15/16" D- 2'-0 3/16" L- 8'-0"	 CR-488 H- 3'-0" D- 2'-0" L- 8'-0"
 CR-489 H- 5 7/8" D- 4 5/16" L- 7'-6"	 CR-490 H- 1'-0 1/4" D- 1'-1 3/4" L- 8'-0"	 CR-491 H- 6 5/16" D- 2 1/8" L- 8'-0"	 CR-492 H- 1'-5 3/8" D- 2'-0 1/2" L- 8'-0"
 CR-493 H- 2'-10 1/2" D- 1'-4" L- 8'-0"	 CR-494 H- 2'-8 3/4" D- 11 7/8" L- 8'-0"	 CR-495 H- 2'-0" D- 11 1/4" L- 8'-0"	 CR-496 H- 1'-10 5/8" D- 3 5/16" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

Cornices



















Manion Hall, Quantico, VA



The Gallery Place, Washington D.C.



Ingleside at Kings Farm, MD

 CR-497 H- 2'-7 1/8" D- 1'-5 1/4" L- 8'-0"	 CR-498 H- 1'-11 1/2" D- 1'-10 1/8" L- 8'-0"	 CR-499 H- 2'-2 3/4" D- 1'-3 3/4" L- 8'-0"	 CR-500 H- 1'-10 3/8" D- 2'-1 1/2" L- 8'-0"
 CR-501 H- 1'-3 13/16" D- 10" L- 8'-0"	 CR-502 H- 1'-9 3/8" D- 10 3/4" L- 8'-0"	 CR-503 H- 7 1/8" D- 1'-11" L- 8'-7"	 CR-504 H- 7 3/4" D- 1'-8 1/2" L- 8'-7"
 CR-505 H- 7 1/16" D- 2 1/8" L- 8'-0"	 CR-506 H- 2'-8 1/16" D- 2'-9 7/8" L- 7'-6"	 CR-507 H- 1 1/2" D- 5 1/2" L- 8'-0"	 CR-508 H- 1'-8 1/4" D- 9 7/8" L- 8'-1 1/2"
 CR-509 H- 2'-11" D- 1'-7 3/4" L- 8'-0"	 CR-510 H- 11 3/8" D- 5 1/4" L- 8'-0"	 CR-511 H- 1'-11 3/4" D- 1'-1 1/4" L- 8'-0"	 CR-512 H- 1'-0 3/16" D- 7/16" L- 8'-0"
 CR-513 H- 2'-3" D- 6 1/2" L- 8'-0"	 CR-514 H- 1'-6 1/4" D- 1'-3" L- 8'-0"	 CR-515 H- 1'-7" D- 2 1/2" L- 8'-0"	 CR-516 H- 1'-4" D- 7" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH




Cornices



Western Kentucky University, KY

Fiberglass is often chosen over other construction materials for having a life cycle that exceeds other products by resisting rust, rot and corrosion. This increased, useful lifespan reduces the need for replacement, repair or repainting. The durability and low maintenance of fiberglass designates it as an environmentally sustainable material.



H- HEIGHT D- DEPTH L- LENGTH










Cornices



Paragon Casino Resort, Marksville, LA



SafeAuto Headquarters, Columbus OH

 CR-537 H- 2'-0 15/16" D- 1 5/8" L- 8'-0"	 CR-538 H- 3'-5 7/8" D- 5 1/4" L- 11'-0"	 CR-539 H- 1'-10 5/8" D- 10 1/2" L- 5'-0"	 CR-540 H- 1'-5 1/8" D- 8" L- 5'-0"
 CR-541 H- 3'-1 1/8" D- 1'-4 1/2" L- 8'-0"	 CR-542 H- 1'-2 1/2" D- 1'-1 1/2" L- 8'-0"	 CR-543 H- 2'-0 7/8" D- 2'-0 1/4" L- 9'-0"	 CR-544 H- 4'-5 3/4" D- 1'-4 1/2" L- 8'-0"
 CR-545 H- 2'-9" D- 1'-3 5/8" L- 8'-0"	 CR-546 H- 1'-6" D- 2'-3" L- 8'-0"	 CR-547 H- 2'-11" D- 1'-3" L- 8'-0"	 CR-548 H- 1'-1 1/2" D- 4 1/2" L- 8'-0"
 CR-549 H- 5'-1" D- 10 1/2" L- 7'-4"	 CR-550 H- 5'-1" D- 2'-4 1/2" L- 7'-4"	 CR-551 H- 2'-10" D- 2'-1 3/8" L- 8'-0"	 CR-552 H- 9" D- 1'-0" L- 8'-0"
 CR-553 H- 1'-11 1/2" D- 1'-3 1/2" L- 8'-0"	 CR-554 H- 1'-4" D- 11 3/8" L- 8'-0"	 CR-555 H- 3'-1 3/8" D- 8" L- 8'-0"	 CR-556 H- 3'-3 1/4" D- 10 1/4" L- 7'-4"

H- HEIGHT D- DEPTH L- LENGTH

















Cornices



Warren County Academic/Aquatic Center, KY



Gift of Life Building, Philadelphia PA

CR-557  H- 8" D- 4 3/8" L- 8'-0"	CR-558  H- 1'-4 3/4" D- 3 3/4" L- 8'-0"	CR-559  H- 9 1/4" D- 1'-9" L- 8'-0"	CR-560  H- 1'-11 3/8" D- 3'-4 7/16" L- 8'-0"
CR-561  H- 3'-0" D- 4'-10 1/4" L- 8'-0"	CR-562  H- 11" D- 10" L- 8'-0"	CR-563  H- 1'-1 13/16" D- 6 9/16" L- 11'-6"	CR-564  H- 3'-3 1/2" D- 1'-11" L- 8'-0"
CR-565  H- 4'-0" D- 1'-9" L- 8'-0"	CR-566  H- 2'-7" D- 1'-3 1/4" L- 8'-0"	CR-567  H- 1'-10 7/8" D- 10 1/4" L- 8'-0"	CR-568  H- 1'-4 1/2" D- 8 3/4" L- 8'-0"
CR-569  H- 1'-8" D- 4" L- 8'-0"	CR-570  H- 1'-4 3/8" D- 3 7/8" L- 8'-0"	CR-571  H- 8" D- 11" L- 8'-0"	CR-572  H- 3'-1 5/8" D- 1'-3" L- 8'-0"
CR-573  H- 1'-11" D- 1'-2 1/2" L- 8'-0"	CR-574  H- 2'-4 7/16" D- 1'-11 1/4" L- 7'-2"	CR-575  H- 4'-5 3/4" D- 6" L- 7'-2"	CR-576  H- 3'-4" D- 1'-0 5/8" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

Cornices



Kean University, Union, NJ























Dartmouth College, Hanover, NH



173 East Broadway, New York, NY

EDON has over 500 stock profiles available to architects, builders and developers. Since separate units can be combined or modified to suit the needs of the architect, design possibilities are limitless.

 CR-577 H- 2'-10 5/16" D- 1'-3 3/4" L- 8'-0"	 CR-578 H- 3'-5 1/4" D- 1'-5" L- 8'-0"	 CR-579 H- 2'-7 1/2" D- 1'-7" L- 8'-0"	 CR-580 H- 2'-7 1/2" D- 1'-9" L- 8'-0"
 CR-581 H- 2'-0" D- 11" L- 8'-0"	 CR-582 H- 2'-4 7/16" D- 1'-11 1/4" L- 7'-2"	 CR-583 H- 1'-2 1/2" D- 1'-3 1/4" L- 7'-10 1/2"	 CR-584 H- 1'-4 5/8" D- 3 3/8" L- 7'-10 1/2"
 CR-585 H- 9 1/2" D- 7" L- 8'-0"	 CR-586 H- 1'-11" D- 8 1/4" L- 8'-0"	 CR-587 H- 4'-2" D- 5" L- 8'-0"	 CR-588 H- 1'-11" D- 10 1/4" L- 8'-0"
 CR-589 H- 1'-3" D- 6" L- 8'-0"	 CR-590 H- 1'-7" D- 5 3/4" L- 8'-0"	 CR-591 H- 2'-7 3/8" D- 2'-5 1/8" L- 7'-9 3/4"	 CR-592 H- 2'-2" D- 1'-1 1/2" L- 8'-0"
 CR-593 H- 2'-3 7/8" D- 1'-7 3/4" L- 8'-0"	 CR-594 H- 1'-10" D- 8 1/2" L- 8'-0"	 CR-595 H- 8" D- 1 3/4" L- 8'-0"	 CR-596 H- 2'-1 1/2" D- 6" L- 8'-0"

H- HEIGHT D- DEPTH L- LENGTH

EDON can duplicate historic cornice design for your restoration project

